



**OVER THE COUNTER MEDICATIONS ALLOWED DURING PREGNANCY AND LACTATION**

**ANTIHISTAMINES:**

- Actifed
- Benadryl
- Claritin
- Claritin-D
- Chlor-Trimeton-D
- Chlor-Trimeton-DM
- Doxylamine Succinate
- Sudafed\*
- Zyrtec and Zyrtec-D

\* Georgia law now requires that Sudafed be requested from the pharmacist, even though it is not a prescription medication.

\*\* Any antihistamine with decongestant should be used sparingly. Opt for regular antihistamine only.

**COUGH:**

- Robitussin
- Robitussin DM
- Robitussin PE\*

\* **DO NOT** use if taking Sudafed or Brethine/Terbutaline. You may take any cough drop.

**CALCIUM SUPPLEMENT:**

- Tums EX - Two tablets twice daily
- Viativ

**CONSTIPATION:**

- Colace
- Fibercon
- Konsyl
- Metamucil
- Milk of Magnesia
- Perdiem

\* Increase dietary roughage, bran, dark green leafy vegetables and fruits. Drink eight to ten glasses of water daily.

**DECONGESTANTS:**

- Actifed
- Sudafed
- Sudafed Sinus
- Sudafed Non-Drying
- Tylenol Sinus

\* Avoid use of decongestants, use sparingly if needed

**DRY SKIN:**

- Cocons Butter
- Eucerin Lotion
- Vitamin E Lotion

**FEVER:**

- Tylenol
- Tylenol Extra Strength (Two tablets every four to six hours)\*

\* **DO NOT** take more than twelve tablets in twenty-four hours.

**GAS:**

- Mylicon
- Mylanta GAS
- Phazyme
- Mylanta Antacid / Anti-gas

**HEMORRHOIDS:**

- Preparation H
- Colace
- Anusol Suppository / Ointment (with or without Cortisone)

\* Add roughage and increase fluids



**OVER THE COUNTER MEDICATIONS ALLOWED DURING PREGNANCY AND LACTATION**

**HEARTBURN:**

- Gavison
- Maalox
- Mylanta
- Tums
- Pepcid Complete
- Rolaids

**POISON IVY:**

- Nutech Wash
- Caladryl Lotion\*
- Ivy Dry\*
- Benadryl Lotion or Cream for itching

\* Clean affected area with soap and then apply medication to prevent the spread of poison ivy

**IRON SUPPLEMENTS:**

- Ferro-Sequels
- Ferancee HP
- Slow Fe
- Slow-Fe with Folic Acid

**DIARRHEA:**

- Immodium AD

**ITCH:**

- Benadryl Ointment
- Caladryl Lotion
- Hydrocortisone Anti-Itch Ointment
- Cortaid

**SORE THROAT:**

- Chloraseptic Oral Strips
- Chloraseptic Spray
- Sucrets or other throat lozenges

**NASAL SPRAY:**

- Ocean and Nasal Mist – May use as needed
- Afrin – **DO NOT** – use more than THREE days

**EXPECTORANTS:**

- Mucinex

**NAUSEA:**

- Emetrol
- Relief Band
- Sea Bands
- Vitamin B6 (25mg three times daily)
- Unisom (one 12.5mg tablet daily) together with Vitamin B6

**SLEEP:**

- Benadryl – 25mg
- Tylenol PM – only occasionally\*

\* Do not use on a daily basis

**PAIN:**

- Tylenol
- Tylenol Extra Strength

**YEAST:**

- Femstat 3
- Gynlotrimin Cream
- Monistat 3 or 7 Cream / Suppository\*

\* Insert applicator halfway only



**OVER THE COUNTER MEDICATIONS ALLOWED DURING PREGNANCY AND LACTATION**

**DENTAL PROCEDURES:**

- Your dentist may use Lidocaine injections, but **you may not receive nitrous oxide gas.** Tell your dentist that you are pregnant prior to any procedures. If you usually take antibiotics prior to any procedures continue to do so. You may take Amoxicillin or Clindamycin or call the office for other meds. You may have dental x-rays with abdominal shield if necessary.

**ATTENTION:**

- If you are ill or have any questions regarding various medications please call the main office number (404-352-3656). Please have the following information available:
  - Name
  - Date of Birth
  - Physician's Name
  - Pharmacy Phone Number
  - Name of Medication (if requesting refills)

**SUN SCREEN:**

- Use SPF or higher

**INSECT REPELLANT:**

- Ok to use

**TRAVEL:**

- You may travel up to 34 weeks of pregnancy as long as your doctor has **not** put you on any restrictions. Check with your individual air carrier or cruise line regarding traveling during pregnancy. When traveling empty your bladder frequently and make frequent stops to stretch.

**MISCELLANEOUS:**

- No studies have been done indicating that the following procedures have an adverse effect on fetal development:
  - Teeth whitening
  - Artificial nails
  - Hair color – after First Trimester (12 weeks)