



Michael J. Rauzzino, M.D., F.A.C.S.

Stephen Ladd, MS, PA-C
Derrick Winckler, MS, PA-C

DISCHARGE INSTRUCTIONS FOLLOWING A
CERVICAL DISC REPLACEMENT
(CERVICAL ARTHROPLASTY)

You had a surgical procedure called cervical disc replacement. During this procedure the neurosurgeon made an incision on the front of your neck and removed your damaged disc(s), and replaced them with artificial disc. These instructions provide additional information regarding your care at home.

Incision Care:

- Unless otherwise directed by your neurosurgeon, please keep the dressing & wound dry for first 5 days, then you may shower with mild soap and shampoo daily, gently wash your incision and pat dry. This is the only time you may touch your incision
- Your incision was closed with absorbable sutures and steri-strips were placed over the skin or surgical glue was applied. The steri-strips may be removed after 1-2 weeks if they are still in place
- Do not apply ointments, lotions or creams to your incision
- Apply an ice pack or a clean bag of frozen peas to your incision 20 minutes on and at least 20 minutes off to help reduce the swelling and discomfort, as needed
- Occasional episodes of neck pain and arm pain are not unusual immediately after surgery
- You may have discomfort in between your shoulder blades which is a common part of healing
- Stop smoking as could lead to a nonunion, delayed healing, or cause a wound infection

Lone Tree
10099 RidgeGate Pkwy, Suite 310
Lone Tree, CO 80124

Aurora
1444 S. Potomac St., Suite 190
Aurora, CO 80012

Colorado Springs
595 Chapel Hills Dr., Suite 245
Colorado Springs, CO 80920

Activity:

- Start with light activity around the house for the first 3 days you are home
- Gradually increase your activity starting with a short walk 1-2 times a day, working up to 2 miles a day over the course of the day by 2 weeks after surgery
- Allow your body time to heal by resting for short periods during the day

- Avoid contact sports, skating, bike riding or other activities until cleared by your surgeon
- You may **not** drive until instructed to do so by your neurosurgeon
- Avoid lifting, pushing or pulling heavy objects (more than 10 lbs) for 6 -12 weeks
- Avoid bending over to pick things up
- Avoid sitting in soft chairs or slumping while sitting
- Avoid reaching above your shoulder level
- Avoid move your neck to the extremes, use pain and common sense as your guide
- Be sure to get up and move around / stretch every 30 minutes while sitting

Nutrition:

- Eat plenty of fruits and vegetables to prevent constipation
- Warm liquids and soft foods are usually easiest to swallow after this surgery
- A soft diet includes: shakes, soup, pasta, soft vegetables, meat and breads will be easier to swallow for the first few days after surgery
- A sore throat and softer voice is common for about 2-3 weeks after surgery, but you should be able to swallow food without difficulty and not choke or cough while eating or drinking
- Drink at least six 8 oz. glasses of water daily

Medications:

- Take NSAIDS such as ibuprofen, (advil), naprosyn, (naproxen, aleve) etc. on a regular basis for the first 6 weeks to prevent your disc replacement from fusing
- Eat some food with your pain medications and use these medications sparingly to avoid nausea, vomiting or constipation
- Take your pain medications as prescribed and gradually **decrease** these as your pain improves

Lone Tree
10099 RidgeGate Pkwy, Suite 310
Lone Tree, CO 80124

Aurora
1444 S. Potomac St., Suite 190
Aurora, CO 80012

Colorado Springs
595 Chapel Hills Dr., Suite 245
Colorado Springs, CO 80920

- Because a side effect of taking narcotics is constipation, you may need to take a stool softener (colace) or a laxative (dulcolax) that you can buy at a pharmacy until your bowels return to normal
- You may need to use a suppository (dulcolax or glycerin) or an enema if you have not had a bowel movement in 3 days

Follow Up:

- **Call our office** when you get home to schedule your follow-up appointment in 2 weeks
- Follow up with your primary care Physician for all medical issues

Call 303-790-1800 or return to the emergency room if you experience any of the following:

- Difficulty breathing or swallowing
- Constipation- no bowel movement for more than 3 days
- Difficulty moving or weakness of your face, arms, or legs
- Problems with speech, vision or severe headache
- Nausea or vomiting that won't stop
- Your pain is not well controlled on your pain medications
- **A fever above 101 F**
- Redness, Swelling, odor or drainage at your incision site

Call 911 for any life threatening emergency

Lone Tree
10099 RidgeGate Pkwy, Suite 310
Lone Tree, CO 80124

Aurora
1444 S. Potomac St., Suite 190
Aurora, CO 80012

Colorado Springs
595 Chapel Hills Dr., Suite 245
Colorado Springs, CO 80920